



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address of AMBASSADOR OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|-----------------------|---------------------|------------------|
| 09 673,779 | 01 02 2001 | Gijsbert Johan Jansen | 80541 | 4107 |

7590 06 14 2002
Welsh & Katz
22nd Floor
120 South Riverside Plaza
Chicago, IL 60606

EXAMINER

SPIEGLER, ALEXANDER H

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

1637

DATE MAILED: 06 14 2002

13

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20231
www.uspto.gov

| | | | |
|---------------------------------|-------------|---|---------------------|
| APPLICATION NO./ CONTROL NO. | FILING DATE | FIRST NAMED INVENTOR / PATENT IN REEXAMINATION | ATTORNEY DOCKET NO. |
|---------------------------------|-------------|---|---------------------|

09/673,779

11/02/2001

Gisbert Johan Jansen

80541

EXAMINER

Alexander H. Spiegler

| | |
|----------|-------|
| ART UNIT | PAPER |
|----------|-------|

1637 13

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents

The reply filed on April 5th, 2002 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

- Claim 5 is incomplete and is not the same as the marked-up version of claim 5.

The substitute specification does not contain the appropriate SEQ ID NOS and therefore does not comply with the requirements of 37 C.F.R. 1.821(d). A new substitute specification should be submitted including the appropriate sequence identifying (SEQ ID NO) following each recited sequence.

The specification does not include a section titled, "Brief Description of the Drawings" (as required in the previous office action), which should be included in the specification after the section titled, "Summary of the Invention".

See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander H. Spiegler whose telephone number is (703) 305-0806. The examiner can normally be reached on Monday through Friday, 7:00 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (703) 308-1119. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-4242 and (703) 305-3014. Applicant is also invited to contact the TC 1600 Customer Service Hotline at (703) 308-0198.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0196.

PRIMARY EXAMINER